

10/591362  
IAP9 Rec'd PCT/PTO 01 SEP 2006

中华人民共和国国家知识产权局  
STATE INTELLECTUAL PROPERTY OFFICE  
OF THE PEOPLE'S REPUBLIC OF CHINA



## 证 明 CERTIFICATE

本证明之附件是向中国专利局作为受理局提交的下列国际申请副本  
IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY OF THE BELOW  
IDENTIFIED INTERNATIONAL APPLICATION THAT WAS FILED WITH THE  
CHINESE PATENT OFFICE AS RECEIVING OFFICE

示 申 请 号: PCT/CN2006/001549

INTERNATIONAL APPLICATION NUMBER

示 申 请 日: 03. JUL 2006 (03. 07. 2006)

NATIONAL FILING DATE

用 名 称 : AN ANTI-VIRUS USAGE MODEL AT AN EXTERIOR PANEL  
OF INVENTION OF A COMPUTER

CERTIFIED COPY OF  
PRIORITY DOCUMENT

中华人民共和国国家知识产权局局长  
COMMISSIONER OF THE STATE INTELLECTUAL PROPERTY  
OFFICE OF THE PEOPLE'S REPUBLIC OF CHINA

二零零六年七月二十八日

BEST AVAILABLE COPY

HOME COPY

PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

PCT/CN-2006 / 001549

International Application No.

03 · JUL 2006 (03 · 07 · 2006)

International Filing Date

RO/CN 中华人民共和国国家知识产权局  
Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference  
(if desired) (12 characters maximum) FPEL06150038

Box No. I TITLE OF INVENTION  
AN ANTI-VIRUS USAGE MODEL AT AN EXTERIOR PANEL OF A COMPUTER

Box No. II APPLICANT

This person is also inventor

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

INTEL CORPORATION  
2200 Mission College Blvd.  
Santa Clara, California 95052  
United States of America

Telephone No.

Facsimile No.

Teleprinter No.

Applicant's registration No. with the Office

State (that is, country) of nationality:  
US

State (that is, country) of residence:  
US

This person is applicant  all designated States  all designated States except the United States of America  the United States of America only  the States indicated in the Supplemental Box for the purposes of:

Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

ZHANG, Lifeng  
Room 403, Building 7, Lane 402  
Qianchang Rd. Pudong  
Shanghai 200000  
P. R. of China

This person is:

applicant only

applicant and inventor

inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:  
CN

State (that is, country) of residence:  
CN

This person is applicant  all designated States  all designated States except the United States of America  the United States of America only  the States indicated in the Supplemental Box for the purposes of:

Further applicants and/or (further) inventors are indicated on a continuation sheet.

Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE

The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as:

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)  
China Patent Agent (H.K.) Ltd.  
22/F, Great Eagle Centre  
23 Harbour Road, Wanchai  
Hong Kong Special Administrative Region  
The People's Republic of China

Telephone No.

(852)28284688

Facsimile No.

(852)28271018

Teleprinter No.

Agent's registration No. with the Office

Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

CONFIRMATION COPY

## Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

If none of the following sub-boxes is used, this sheet should not be included in the request.

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

SHENG, Xiaofeng  
Room 1401, No. 40, Lane 1030  
West Yan An Road  
Shanghai 200052  
P. R. of China

This person is:

applicant only  
 applicant and inventor  
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:  
CNState (that is, country) of residence:  
CN

This person is applicant for the purposes of:  all designated States  all designated States except the United States of America  the United States of America only  the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

SHI, Ce  
Room 1803, Ln. 300 Nandandong Road  
Shanghai 200030  
P. R. of China

This person is:

applicant only  
 applicant and inventor  
 inventor only (If this check-box is marked, do not fill in below.)

Applicant's registration No. with the Office

State (that is, country) of nationality:  
CNState (that is, country) of residence:  
CN

This person is applicant for the purposes of:  all designated States  all designated States except the United States of America  the United States of America only  the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

State (that is, country) of nationality:

State (that is, country) of residence:

This person is applicant for the purposes of:  all designated States  all designated States except the United States of America  the United States of America only  the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

State (that is, country) of nationality:

State (that is, country) of residence:

This person is applicant for the purposes of:  all designated States  all designated States except the United States of America  the United States of America only  the States indicated in the Supplemental Box

Further applicants and/or (further) inventors are indicated on another continuation sheet.

## Box No. V DESIGNATIONS

The filing of this request constitutes under Rule 4.9(a), the designation of all Contracting States bound by the PCT on the international filing date, for the grant of every kind of protection available and, where applicable, for the grant of both regional and national patents. However,

DE Germany is not designated for any kind of national protection  
 JP Japan is not designated for any kind of national protection  
 KR Republic of Korea is not designated for any kind of national protection  
 RU Russian Federation is not designated for any kind of national protection

(The check-boxes above may only be used to exclude (irrevocably) the designations concerned if, at the time of filing, the international application contains in Box No. VI a priority claim to an earlier national application filed in the particular State concerned, in order to avoid the ceasing of the effect, under the national law, of this earlier national application. See the Notes to Box No. V as to the consequences of such national law provisions in these States).

## Box No. VI PRIORITY CLAIM

The priority of the following earlier application(s) is hereby claimed:

Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country or Member of WTO	regional application: regional Office	international application: receiving Office
item (1)				
item (2)				
item (3)				

Further priority claims are indicated in the Supplemental Box.

The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) (only if the earlier application was filed with the Office which for the purposes of this international application is the receiving Office) identified above as:

all items       item (1)       item (2)       item (3)       other, see Supplemental Box

\* Where the earlier application is an ARIPO application, indicate at least one country party to the Paris Convention for the Protection of Industrial Property or one Member of the World Trade Organization for which that earlier application was filed (Rule 4.10(b)(ii)):

## Box No. VII INTERNATIONAL SEARCHING AUTHORITY

Choice of International Searching Authority (ISA) (if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):

ISA / .....

Request to use results of earlier search; reference to that search (if an earlier search has been carried out by or requested from the International Searching Authority):

Date (day/month/year)      Number      Country (or regional Office)

## Box No. VIII DECLARATIONS

The following declarations are contained in Boxes Nos. VIII (i) to (v) (mark the applicable check-boxes below and indicate in the right column the number of each type of declaration):

Number of declarations

<input type="checkbox"/> Box No. VIII (i)	Declaration as to the identity of the inventor	:
<input type="checkbox"/> Box No. VIII (ii)	Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent	:
<input type="checkbox"/> Box No. VIII (iii)	Declaration as to the applicant's entitlement, as at the international filing date, to claim the priority of the earlier application	:
<input type="checkbox"/> Box No. VIII (iv)	Declaration of inventorship (only for the purposes of the designation of the United States of America)	:
<input type="checkbox"/> Box No. VIII (v)	Declaration as to non-prejudicial disclosures or exceptions to lack of novelty	:

Sheet No. 4

## Box No. IX CHECK LIST; LANGUAGE OF FILING

This international application contains:  
(a) on paper, the following number of sheets:

request (including declaration sheets)	4
description (excluding sequence listing and/or tables related thereto)	7
claims	3
abstract	1
drawings	5

Sub-total number of sheets : 20

sequence listing :  
tables related thereto :  
(for both, actual number of sheets if filed on paper, whether or not also filed in electronic form; see (c) below)

Total number of sheets : 20

(b)  only in electronic form (Section 801(a)(i))

(i)  sequence listing  
(ii)  tables related thereto

(c)  also in electronic form (Section 801(a)(ii))

(i)  sequence listing  
(ii)  tables related thereto

Type and number of carriers (diskette, CD-ROM, CD-R or other) on which are contained the

sequence listing: .....  
 tables related thereto: .....

(additional copies to be indicated under items 9(ii) and/or 10(ii), in right column)

Figure of the drawings which should accompany the abstract:


This international application is accompanied by the following item(s) (mark the applicable check-boxes below and indicate in right column the number of each item):

1. <input checked="" type="checkbox"/> fee calculation sheet	: 1
2. <input checked="" type="checkbox"/> original separate power of attorney	: 1
3. <input type="checkbox"/> original general power of attorney	:
4. <input type="checkbox"/> copy of general power of attorney; reference number, if any: .....	:
5. <input type="checkbox"/> statement explaining lack of signature	:
6. <input type="checkbox"/> priority document(s) identified in Box No. VI as item(s): .....	:
7. <input type="checkbox"/> translation of international application into (language): .....	:
8. <input type="checkbox"/> separate indications concerning deposited microorganism or other biological material	:
9. <input type="checkbox"/> sequence listing in electronic form (indicate type and number of carriers)	:
(i) <input type="checkbox"/> copy submitted for the purposes of international search under Rule 13ter only (and not as part of the international application)	:
(ii) <input type="checkbox"/> (only where check-box (b)(i) or (c)(i) is marked in left column) additional copies including, where applicable, the copy for the purposes of international search under Rule 13ter	:
(iii) <input type="checkbox"/> together with relevant statement as to the identity of the copy or copies with the sequence listing mentioned in left column	:
10. <input type="checkbox"/> tables in electronic form related to sequence listing (indicate type and number of carriers)	:
(i) <input type="checkbox"/> copy submitted for the purposes of international search under Section 802(b-quarter) only (and not as part of the international application)	:
(ii) <input type="checkbox"/> (only where check-box (b)(ii) or (c)(ii) is marked in left column) additional copies including, where applicable, the copy for the purposes of international search under Section 802(b-quarter)	:
(iii) <input type="checkbox"/> together with relevant statement as to the identity of the copy or copies with the tables mentioned in left column	:
11. <input type="checkbox"/> other (specify): .....	:

Language of filing of the international application: EN

## Box No. X SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE

Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).



For receiving Office use only

1. Date of actual receipt of the purported international application:

03 · JUL 2006 (03 · 07 · 2006)

3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:

4. Date of timely receipt of the required corrections under PCT Article 11(2):

5. International Searching Authority (if two or more are competent): ISA /

6.  Transmittal of search copy delayed until search fee is paid

2. Drawings:

received:

not received:

For International Bureau use only

Date of receipt of the record copy by the International Bureau:

See Notes to the request form

This sheet is not part of and does not count as a sheet of the international application.

**PCT**  
**FEES CALCULATION SHEET**  
**Annex to the Request**

For receiving Office use only	
PCT/CN 2006 / 001549	
International Application No.	
03 · JUL 2006 (03 · 07 · 2006)	
Date stamp of the receiving Office	

Applicant's or agent's  
file reference FPEL06150038

Applicant  
INTEL CORPORATION etc.

**CALCULATION OF PRESCRIBED FEES**

1. TRANSMITTAL FEE CNY500

2. SEARCH FEE CNY2100

International search to be carried out by CN  
(If two or more International Searching Authorities are competent to carry out the international search, indicate the name of the Authority which is chosen to carry out the international search.)

3. INTERNATIONAL FILING FEE

Where items (b) and/or (c) of Box No. IX apply, enter Sub-total number of sheets } 20  
Where items (b) and (c) of Box No. IX do not apply, enter Total number of sheets }

i1 first 30 sheets CHF1400 i1

i2 number of sheets in excess of 30 x CHF15 = i2  
fee per sheet

i3 additional component (only if sequence listing and/or tables related thereto are filed in computer readable form under Section 801(a)(i), or both in that form and on paper, under Section 801(a)(ii)):

400 x = i3  
fee per sheet

Add amounts entered at i1, i2 and i3 and enter total at I CHF1400

(Applicants from certain States are entitled to a reduction of 75% of the international filing fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the international filing fee.)

4. FEE FOR PRIORITY DOCUMENT (if applicable)

5. TOTAL FEES PAYABLE CNY2600CHF1400

TOTAL

CHF1400

CHF1400

**MODE OF PAYMENT**

authorization to charge  
deposit account (see below)

postal money order

cash

coupons

cheque

bank draft

revenue stamps

other (specify):

**AUTHORIZATION TO CHARGE (OR CREDIT) DEPOSIT ACCOUNT**

(This mode of payment may not be available at all receiving Offices)

Receiving Office: RO/ CN


Deposit Account No.:

07/03/2006

Date:

Name:

Signature:



See Notes to the fee calculation sheet

SAD

## AN ANTI-VIRUS USAGE MODEL AT AN EXTERIOR PANEL OF A COMPUTER

### BACKGROUND

#### Field

[0001] A hardware user interface for anti-virus operations.

#### Background

[0002] Viruses present a serious threat to data integrity for the information stored on a computer. Current anti-virus software on the market generally does not have a standardized user interface or usage model for anti-virus operations. Unsophisticated users sometimes find it difficult to operate the anti-virus software or know the status of the anti-virus software on their computers.

[0003] Moreover, current anti-virus software mostly uses pop-up windows to interact with the users. These pop-up windows often interrupt the ongoing work or entertainment engaged by the users. Further, when a computer system is infected by virus, its display may also be inflected and fail to pop up warning messages. The computer system may even stop taking input from the keyboard or mouse, thus render it unable to receive any user commands.

BRIEF DESCRIPTION OF THE DRAWINGS

[0004] Embodiments are illustrated by way of example and not by way of limitation in the figures of the accompanying drawings in which like references indicate similar elements. It should be noted that references to "an" or "one" embodiment in this disclosure are not necessarily to the same embodiment, and such references mean at least one.

[0005] FIG. 1 shows a front view of an embodiment of a computer having a virus indicator button, a secondary display, and user buttons on a front panel.

[0006] FIG. 2 shows a block diagram of an embodiment of a system comprising the computer of FIG. 1.

[0007] FIG. 3A-FIG. 3D show examples of information presented on the secondary display.

[0008] FIG. 4A-FIG. 4B show examples of options presented on the secondary display.

[0009] FIG. 5 is a flow chart showing an embodiment of anti-virus operations.

### DETAILED DESCRIPTION

[0010] FIG. 1 is a front view of an embodiment of a computer 100 including a computing module 120 connected to a main display 110 and a keyboard 160. Computing module 120 is enclosed by exterior panels that include a front panel 130, a top panel 140, and side panels 150. In the embodiment as shown, front panel 130 include a secondary display 132, a plurality of user buttons 134 adjacent to (e.g., below) secondary display 132, a virus indicator button 136, as well as a power button 137 and disk insertion slots 138. In an alternative embodiment, one or more of the components shown on front panel 130 may reside on any of the exterior panels (e.g., a top panel 140 or side panels 150) of computing module 120.

[0011] FIG. 2 is a block diagram showing an embodiment of a system 200 comprising computer 100 (FIG. 1). System 200 includes at least one processing cores 210 coupled to a memory controller 220. Memory controller 220 may provide an interface for the components of system 200 to access main memory 230, graphic cards 240, and other memory devices. Memory controller 220 and processing core 210 may be located on the same chip or on separate chips. Main memory 230 may comprise one or more types of memory such as, for example, dynamic random access memory (DRAM) devices, synchronous dynamic random access memory (SDRAM) devices, double data rate (DDR) SDRAM devices, dual in-line memory modules (DIMMs), or other volatile memory devices. Other memory devices may comprise flash memory, DRAM devices, read-only memory (ROM), or any volatile or non-volatile memory devices.

[0012] System 200 may include an input/output (I/O) controller 250 coupled to memory controller 220. I/O controller 250 may provide an interface for the components of system 200 to access I/O devices 260. I/O devices 260 may include Industry Standard Architecture (ISA) devices, Peripheral Component Interconnect (PCI) devices, PCI Express devices, Universal Serial Bus (USB) devices, Small Computer System Interface (SCSI)

devices, or other standard or proprietary I/O devices suitable for server or general applications. In one embodiment, I/O devices 260 may include main display 110 and keyboard 160 of FIG. 1. I/O controller 250 may also connect to a microcontroller 270 that includes a first logic unit 21 and a second logic unit 22. Logic units 21 and 22 control the operations of secondary display 132, user buttons 134, and virus indicator button 136 of FIG. 1. The functions of logic units 21 and 22 will be described in detail with reference to FIGs. 3A-3D and FIGs. 4A-4B.

[0013] In one embodiment, main memory 230 may store a copy of anti-virus software 280. Anti-virus software 280 may include anti-virus code and its associated database. Processing core 210 may check the status of anti-virus software 280 and executes the software according to a pre-defined schedule or at an occurrence of a pre-defined event, e.g., during boot-up. As a result, processing core 210 may detect that anti-virus software 280 is out-of-date. Alternatively, processing core 210 may detect the presence of a virus. When processing core 210 detects either of the above events, processing core 210 may instruct microcontroller 270 to alert a user via secondary display 132 and virus indicator button 136 of FIG. 1.

[0014] Virus indicator button 136 may be implemented by a light-emitting diode (LED) that lights up when an alerting event occurs. Virus indicator button 136 may indicate different virus status with different colors. In one embodiment, virus indicator button 136 may be a pressable button. In alternative embodiments, virus indicator button 136 may be activated by a user by any other suitable mechanisms. Virus indicator button 136 may be integrated with a two-state LED that lights up in red when the presence of a virus on computer 100 is detected. Virus indicator button 136 may light up in yellow when anti-virus software 280 is out-of-date. Pressing virus indicator button 136 when it is red triggers processing core 210 to clean the detected virus. During the virus cleaning process, processing core 210 may report its working process to the user on secondary display 132. Pressing virus indicator

button 136 when it is yellow triggers processing core 210 to search for the latest patch for anti-virus software 280. When the latest patch is found, processing core 210 may apply the patch to update software 280. The LED light of virus indicator button 136 is off after the virus is cleaned up or software 280 is updated. If the user presses virus indicator button 136 when the LED light is off, a regular hard disk virus scan may be performed. Although red and yellow are disclosed as the color of the two-state LED, it is understood that any other colors may be used to indicate different virus status.

[0015] In one embodiment, secondary display 132 may be implemented by a liquid crystal module (LCM), a light emitting diode (LED) display, or any other suitable display mechanisms. Secondary display 132 may present virus information to the user, thus avoiding popping up dialog windows on main display 110. Using secondary display 132 also avoids interruptions to the user's ongoing work on main display 110. Moreover, as there are no software windows on secondary display 132 to cover the virus information, messages on secondary display 132 catch the user's attention more easily than those on main display 110. Unlike conventional I/O devices which are typically susceptible to virus attacks, the virus that infects conventional I/O devices does not usually affect the separate anti-virus hardware (e.g., microcontroller 270, secondary display 132, user buttons 134, and virus indicator button 136). Thus, the virus usage model described herein is more robust than a conventional software user interface.

[0016] Referring also to FIG. 3A, when processing core 210 detects the presence of a virus, virus indicator button 136 turns red and virus information is displayed on secondary display 132 to describe the virus type, infected files, or other relevant information. A virus icon 33 on secondary display 132 may be highlighted to show that anti-virus information is being displayed. After the user presses red virus indicator button 136, processing core 210 starts a sequence of anti-virus operations to remove the virus. The anti-virus operations may include, but are not limited to, disconnecting the network on



which computer 100 is located to prevent the spread of virus, removing the virus, and recovering the system. Microcontroller 270 (FIG. 2) may include first logic unit 21 to present the progress of anti-virus operations on secondary display 132. Referring to FIG. 3B, FIG. 3C, and FIG. 3D, secondary display 132 may display a message 31 reporting the anti-virus operation currently being performed, as well as a completion percentage indicator 32 showing the working progress of the anti-virus operation.

[0017] In some scenarios, user intervention may be requested to proceed with the anti-virus operation. For example, the user may be requested to determine whether an infected file should be deleted. In one embodiment, microcontroller 270 (FIG. 2) may include second logic unit 22 to present at least one option on secondary display 132 for the user. Referring to FIG. 4A, secondary display 132 may present the request for user intervention with a number of options. Each of the options may be shown adjacent to one of user buttons 134. Secondary display 132 may inform the user that the virus in the file setup.exe cannot be cleaned up. Secondary display 132 may provide the user with three options: delete the file 41, quarantine the file 42, or cancel the virus removal operation 43. The user may respond by pressing the corresponding user button 134 located below the desired option. The response of the user may be forwarded to processing core 210 (FIG. 2) to perform the selected operation.

[0018] Secondary display 132 may continue to present other virus information and requests until the virus is finally cleaned up from the entire system. Referring to FIG. 4B, when the virus is successfully removed from the system, the user may press user button 134 below an option "details" 44 to request more detailed information, or press user button 134 below an option "cancel" 45 to clear screen or, in some scenarios, to return to a previous unfinished operation.

[0019] In addition to virus information, secondary display 132 may be used as a user interface for other system activities that may be of interest to the

user. Referring back to FIG. 3A, for example, secondary display 132 may include an email icon 34 and a phone icon 35 in addition to virus icon 33. One or more of icons 33, 34, and 35 may be highlighted to indicate an associated activity as needing the user's attention. In one embodiment, email icon 34 may be highlighted to show the arrival of a new email message, and phone icon 35 may be highlighted to request the user's attention to messaging applications. Secondary display 132 may include additional icons as needed to facilitate the user's interaction with the system.

[0020] FIG. 5 is a flowchart showing an example of anti-virus operations according to the anti-virus usage model described above. Referring also to FIG. 1, at block 510, virus indicator button 136 indicates a current virus status. At block 520, virus indicator button 136 may be activated by a user to perform anti-virus operations according to the current virus status. At block 530, secondary display 132 may display virus information and working progress of the anti-virus operations. At block 540, user intervention may be requested. Secondary display 132 may show messages and provide options for the user to determine whether or how to proceed with the anti-virus operations. At block 550, the user may command the system by selecting a desired option. At block 560, secondary display 132 may report the result of the anti-virus operations. At block 570, virus indicator button 136 is turned off.

[0021] Computing systems that may use the above anti-virus usage module may include personal desktop/laptop computers, servers, personal digital assistants, network processors, or any other suitable wired or wireless systems.

[0022] In the foregoing specification, specific embodiments have been described. It will, however, be evident that various modifications and changes can be made thereto without departing from the broader spirit and scope of the appended claims. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

CLAIMS

What is claimed is:

1. A method comprising:  
presenting virus information of a computing device on an exterior panel of the computing device; and  
receiving commands from the exterior panel to perform anti-virus operations.
2. The method of claim 1 wherein receiving commands comprises:  
presenting at least one option on a display module located on the exterior panel.
3. The method of claim 1 wherein presenting virus information comprises:  
displaying progress of the anti-virus operations on a display module located on the exterior panel.
4. The method of claim 1 wherein presenting virus information further comprises:  
providing a virus indicator button on the exterior panel to indicate a virus status of the computing device.
5. The method of claim 4 wherein providing a virus indicator button comprises:  
indicating a presence of a virus on the computing device.
6. The method of claim 4 wherein providing a virus indicator button further comprises:  
indicating anti-virus software on the computing device as out-of-date.
7. The method of claim 4 wherein providing a virus indicator button further comprises:

activating the virus indicator button to trigger the anti-virus operations.

8. The method of claim 1 further comprising:  
highlighting an icon on a display module at the exterior panel to indicate an associated activity as needing attention.
9. An apparatus comprising:  
a display module on an exterior panel to present virus information of the computing device; and  
a plurality of user buttons adjacent to the display module to receive commands to perform anti-virus operations.
10. The apparatus of claim 9 further comprising:  
a virus indicator button on the exterior panel to indicate a virus status of the computing device and to trigger the anti-virus operations when activated.
11. The apparatus of claim 10 wherein the virus indicator button comprises:  
a light-emitting diode (LED) to display a first color to indicate a presence of virus on the computing device and a second color to indicate anti-virus software on the computing device as out-of-date.
12. The apparatus of claim 9 wherein the display module comprises:  
a liquid-crystal module (LCM).
13. The apparatus of claim 9 further comprises:  
a microcontroller including a first logic unit to display progress of the anti-virus operations on the display module.
14. The apparatus of claim 9 further comprising:  
a microcontroller including a second logic unit to display at least one option on the display module, wherein the displayed option is positioned adjacent to one of the user buttons.


15. A system comprising:
  - a main display;
  - a computing device coupled to the main display, wherein the personal computing device includes:
    - a liquid-crystal module (LCM) display on an exterior panel of the computing device to present virus information; and
    - a plurality of user buttons adjacent to the LCM display to receive commands to perform anti-virus operations.
16. The system of claim 15 further comprising:
  - a virus indicator button on the exterior panel to indicate a virus status of the computing device and to trigger the anti-virus operations when the virus indicator button is activated.
17. The system of claim 16 wherein the virus indicator button comprises:
  - a light-emitting diode (LED) to display a first color to indicate a presence of virus on the computing device and a second color to indicate anti-virus software on the computing device as out-of-date.
18. The system of claim 15 further comprising:
  - a processing core to execute anti-virus software and to cause the virus information to be presented on the LCM display.
19. The system of claim 15 further comprising:
  - a microcontroller including a first logic unit to display progress of the anti-virus operations on the LCM display.
20. The system of claim 15 further comprising:
  - a microcontroller including a second logic unit to display at least one option on the LCM display, wherein the displayed option is positioned adjacent to one of the user buttons.



### ABSTRACT

An anti-virus usage model for a computing device includes a secondary display on an exterior panel of the computer device and a plurality of user buttons adjacent to the secondary display. The computing device may also include a virus indicator button on the exterior panel. The secondary display presents virus information of the computing device, and the user buttons receive commands from a user to perform anti-virus operations. The virus indicator button is integrated with a light-emitting diode (LED) to display different colors indicating different virus statuses. Thus, anti-virus information may be easily accessible and anti-virus operations may be easily performed.

1/5












FIG. 2

**FIG. 3A****FIG. 3B****FIG. 3C****FIG. 3D**

4/5

**FIG. 4A****FIG. 4B**




FIG. 5

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**